

This listing of claims will replace all prior versions, and listings of claims in the application:


**IN THE CLAIMS:**

1. (Currently Amended) Blends which contain
  - A) polycarbonate and/or polyestercarbonate,
  - B) at least one rubber-elastic graft polymer, selected from the group consisting of silicone, EP(D)M and acrylate rubbers as graft substrate,
  - C) optionally, at least one thermoplastic polymer, selected from the group consisting of C.1 vinyl (co)polymers and C.2 polyalkylene terephthalates and
  - D) 0.1 to 30 parts by wt. (with respect to the entire mixture) of a phosphonate amine of the general formula (I)




in which

A represents a group of the formula (IIa)



or (IIb)



R<sup>1</sup> and R<sup>2</sup>, independently, represent an unsubstituted or substituted C<sub>1</sub>-C<sub>10</sub> alkyl group or an unsubstituted or substituted C<sub>6</sub>-C<sub>10</sub> aryl group,

R<sup>3</sup> and R<sup>4</sup>, independently, represent an unsubstituted or substituted C<sub>1</sub>-C<sub>10</sub> alkyl group or an unsubstituted or substituted C<sub>6</sub>-C<sub>10</sub> aryl group or

R<sup>3</sup> and R<sup>4</sup> together represent an unsubstituted or substituted C<sub>3</sub>-C<sub>10</sub> alkylene group,

y has the numerical value 0, 1 or 2 and

B independently, represents hydrogen, an optionally halogenated C<sub>2</sub>-C<sub>8</sub> alkyl group, or an unsubstituted or substituted C<sub>6</sub>-C<sub>10</sub> aryl group.

2. (Original) Blends in accordance with claim 1, containing  
 40 - 99 parts by wt. of component A,  
 0.5 - 60 parts by wt. of component B,  
 0 - 45 parts by wt. of component C,  
 0.1 - 25 parts by wt. of component D, and  
 0 - 5 parts by wt. of a fluorinated polyolefin.

3. (Previously Presented) Blends according to Claim 2 containing 2 to 20 parts by wt. of D.

4. (Previously Presented) Blends according to Claim 1 wherein component B) is at least one graft polymer selected from the group consisting of

B.1 5 to 95 wt.% of at least one vinyl monomer on

B.2 95 to 5 wt.% of one or more graft substrates with glass transition temperatures of  $<10^{\circ}\text{C}$  selected from the group consisting of silicone, acrylate and EP(D)M rubbers.

5. (Currently Amended) Blends according to claim 4, wherein vinyl monomers B.1 are selected from:

B.1.1 50 to 99 parts by wt. of at least one member selected from the group consisting of vinyl aromatic compounds, ~~and/or~~ ring-substituted vinyl aromatic compounds, ~~and/or~~  $\text{C}_1\text{-C}_8$  alkyl methacrylates, and

B.1.2 1 to 50 parts by wt. of at least one member selected from the group consisting of vinyl cyanides,  $\text{C}_1\text{-C}_8$  alkyl (meth)acrylates, ~~and/or~~ ~~derivatives~~ anhydrides of unsaturated carboxylic acids, and imides of unsaturated carboxylic acids.

6. (Previously Presented) Blends according to Claim 5, wherein

B.1.1 is at least one member selected from the group consisting of styrene,  $\alpha$ -methylstyrene and methyl methacrylate and

B.1.2 is at least one member selected from the group consisting of acrylonitrile, methacrylonitrile, maleic anhydride and methyl methacrylate.

7. (Currently Amended) Blends according to Claim 1 wherein component C.1 consists of vinyl (co)polymers ~~of~~ prepared from at least one monomer selected from the group consisting of vinyl aromatic compounds, vinyl cyanides, C<sub>1</sub>-C<sub>8</sub> alkyl (meth)acrylates, unsaturated carboxylic acids, ~~and derivatives~~ anhydrides of unsaturated carboxylic acids, and imides of unsaturated carboxylic acids.

8. (Previously Presented) Blends according to Claim 1 wherein phosphonate amine is a member selected from the group consisting of 5,5,5',5',5'',5'''-hexamethyl-tris-(1,3,2-dioxaphosphorinane-methane)-amino-2,2',2''-trioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-butyl-N[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-dimethyl-, P<sub>2</sub>-dioxide; 1,3,2-dioxaphosphorinane -2-methanamine, N-[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-dimethyl-N-phenyl- P<sub>2</sub>-dioxide; 1,3,2-dioxaphosphorinane-2-methanamine, N,N-dibutyl-5,5-dimethyl-, 2-oxide, 1,3,2-dioxaphosphorinane-2-methanimine, N-[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-N-ethyl-5,5-dimethyl-, P<sub>2</sub>-dioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-butyl-N-[(5,5-dichloromethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-di-chloromethyl-, P<sub>2</sub>-dioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-[(5,5-di-chloromethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-di-chloromethyl-N-phenyl-, P<sub>2</sub>-dioxide; 1,3,2-dioxaphosphorinane-2-methanamine, N,N-di-(4-chlorobutyl)-5,5-dimethyl-2-oxide; 1,3,2-dioxaphosphorinane-2-methanimine and N-[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methane]-N-(2-chloroethyl)-5,5-di-(chloromethyl)-, P<sub>2</sub>-dioxide.

9. (Previously Presented) Blends according to Claim 1 further containing at least one additive selected from the group consisting of lubricants, mould release agents, nucleating agents, antistatic agents, stabilisers, colorants and pigments.

10. (Previously Presented) Blends according to Claim 1 further containing a flame retardant which is different from component D.

11. - 14. (Cancelled)

15. (Previously Presented) A method of using the blend of Claim 1 comprising producing a molded article.

16. (Previously Presented) A molded article comprising the blend of Claim 1.